

Formrelease D

Concrete form release



FEATURES

Formrelease D is a chemical release agent for concrete formwork which acts as a bond breaker between the formwork or moulds and the concrete.

Formrelease D can be used as a general purpose release agent on all construction and building sites and is suitable for use on timber, steel and fibreglass forms.

ADVANTAGES

- Easy to apply
- Wont stain or contaminate the concrete
- stable during placement and vibration of the concrete
- Reduces rust buildup on steel moulds.

USES

- Concrete form release for all form types

SPECIFICATION DATA

Appearance:	Clear red solution
Coverage:	20 - 30m ² per litre
Flash point:	>61°C
Application temp:	0 - 40°C
Cleanup:	See cleaning section
Packaging:	20L, 200L, 1000L
Storage:	Store between 5°C - 40°C away from direct sunlight
Shelf life:	12 months

DIRECTIONS FOR USE

Apply evenly over the entire surface by spray.
Do not allow to pool in corners and allow the surface to dry before use.

When dry the surface is durable enough to withstand light foot traffic however it is important to minimise contamination. The area to be treated should be free from old concrete, dirt, grease and rust.

Use undiluted at the recommended for the substrate, new timber may require an initial 2-3 coats due to the porous nature of timber. Apply only a thin film and do not allow the material to pool in corners as excess material can cause staining or defects on the concrete surface.

Treated formwork should not be left exposed for long periods of time.

Best applied by low pressure spray.

Coverage rates: Steel 30m²/litre
 Coated ply: 20m²/litre

IMPORTANT: DO NOT USE ON HOT SURFACES

CLEANING

Once dry, Formrelease D may be removed with the following fast drying solvents common.

Acetone, Xylene, Petrol
Methanol, Ethanol or Methylated spirits
Isopropyl alcohol

Use a clean rag to wipe down all affected surfaces, more than one application may be needed depending on the thickness of the coating.

SAFETY

Refer to the MSDS, contains hydrocarbon solvents

CRG Pty Ltd
www.crg.solutions

Disclaimer

This is not a specification, and all the information is given in good faith. Since conditions of use are beyond the control of the manufacturer, information contained herein is without warranty, implied or otherwise, and final determination of the suitability of any information or material for the use contemplated, the manner of use and whether there is any infringement of patents is the sole responsibility of the user. The manufacturer does not assume any liability in connection with the use of the product relative to coverage, performance or injury. For application in special conditions, consult the manufacturer for detailed recommendations.