

Sealcure P

PVA curing compound



FEATURES

Sealcure P is a Poly Vinyl Alcohol emulsion used as a curing membrane on freshly poured concrete. It contains no solvents and is easy to use.

Sealcure P will remain bonded to the substrate and is suitable for use under tiles, screeds and many other flooring systems.

ADVANTAGES

- Totally water based
- Single component
- Reduces plastic shrinkage
- Environmentally friendly
- Can be applied by brush, roller or spray
- Will not yellow in sunlight
- Eliminates the need for curing by ponded water, damp hessian or plastic sheeting
- Water wash up

USES

- Curing compound for all types of concrete. Indoors or outdoors, smooth or textured.
- Not suitable as a permanent wear or protective coating
- Not suitable for use under heavy duty or solvent-borne protective coatings

SPECIFICATION DATA

Appearance:	Transparent
Coverage:	5m ² per litre
Finish:	Clear semi gloss
Trafficable:	24 hours
Application temp:	8-35°C
Solids:	25-27% by weight
Cleanup:	Water
Packaging:	20L, 200L, 1000L
Storage:	Store between 5°C - 40°C away from direct sunlight
Shelf life:	12 months

DIRECTIONS FOR USE

Sealcure P can be applied as soon as the bleed water has evaporated and the concrete surface is hard enough to not be marked during the application process. Best applied by spray but roller and brush application is also suitable for small areas.

Wash equipment immediately after use with water.

LIMITATIONS

Sealcure P is semi permanent and difficult to remove once applied, it is not solvent resistant and not suitable for use under protective coatings or floor paints unless approved by the coatings supplier.

Not suitable as a wear resistant sealer and may temporarily whiten when wet.

May not be suitable for use over coloured concrete as some liquid colourants can cause staining.

Not to be used where AS3799 is a requirement.

SAFETY

Refer to the MSDS, contains no hazardous substances requiring labelling

CRG

CRG Pty Ltd

www.crg.solutions

Disclaimer

This is not a specification, and all the information is given in good faith. Since conditions of use are beyond the control of the manufacturer, information contained herein is without warranty, implied or otherwise, and final determination of the suitability of any information or material for the use contemplated, the manner of use and whether there is any infringement of patents is the sole responsibility of the user. The manufacturer does not assume any liability in connection with the use of the product relative to coverage, performance or injury. For application in special conditions, consult the manufacturer for detailed recommendations.